


www.lftool.com

www.deskar.cn



力锋精密工具(浙江)有限公司
LIFENG PRECISION TOOLS (ZHEJIANG) CO.,LTD



WEILA

U钻系列/多功能钻头/皇冠钻/深孔钻
U-drill series/multifunctional drill bits/JCD- drills/deep hole drills



About Us | 公司简介

实力雄厚的力锋企业

力锋精密工具（浙江）有限公司（以下简称公司）坐落于新世纪第一缕曙光首照地浙江省温岭市，国家5A级风景区--雁荡山脚下，青屿工业园区内。

雄厚的技术实力 公司拥有当今世界先进的生产工艺技术，拥有一支强大的科研开发队伍，具有世界一流的可转位数控刀片生产线，数控车刀杆生产线、整体硬质合金立铣刀生产线，PVD涂层生产线，并成立了集科研、应用研究为一体的研发中心。

卓越的产品优势 我公司专业为客户提供各种标准和非标准的PVD和CVD涂层，硬质合金、金属陶瓷和铝用刀片等牌号的高精度车削、铣削、切断、钻削、切槽和螺纹加工的可转位数控刀片及配套的高精度刀具，并配有适合各种加工材料的精加工、半精加工和粗加工的相应断屑槽型。我公司不断推出适合于模具业、汽车工业、航空工业的先进切削刀具和孔加工刀具，能根据客户的不同需求来图来样生产各类切削工具，为机械加工制造提供成套的解决方案。

完善的营销及服务网络 公司的营销及服务网络遍布全国，产品质量受到广大用户的一致好评。产品远销世界各大洲。

不可限量的品牌含金量 公司大力弘扬“力求完美，锋行天下；顾客至上，锐意进取”的企业精神，以“振兴民族工业”为目标。坚持“客户第一”的原则为广大客户提供优质的服务。公司已通过GB/T19001-2008/ISO9001:2008质量管理体系认证。

企业的社会责任 在力锋，我们尽最大努力履行社会责任，在全球和各地市场坚持可持续发展原则，以身作则。我们依照力锋的行为准则开展工作，这包括了企业多样性，经济、社会和环保责任，以及公司治理等多方面的内容。

未来的挑战 在当今的竞争格局下，我们对趋势的及时且迅速的反应能力，这是不可或缺的。对不断变化着的世界的洞察力和认知是事业成功的关键要素。只有了解明天的挑战，我们才能在今天制定出通向未来的战略蓝图。


POWERFUL LIFENG ENTERPRISE

- ▶ **LIFENG PRECISION TOOLS (ZHEJIANG) CO., LTD** (hereinafter referred to as the Company) is located in the first rays of the new century's first Wenling, Zhejiang, according to the State 5A level scenic spot ----Hill foot, Lantau industrial park inside.
- ▶ The company has strong technical strength in today's world of advanced production technology, with a strong research and development team, with world-class indexable CNC blade production line, NC Arbor production line, production line of solid carbide end mills, PVD coating production line, and set up a collection of scientific research, applied research as one of the research center.
- ▶ Outstanding product advantages Our company specializes in providing customers with a variety of standard and non-standard PVD and CVD coatings, cemented carbide, cermet and aluminum with a blade and other brands of high-precision turning, milling, cutting, drilling, grooving and indexable thread machining CNC blade and supporting high-precision cutting tools, and with a variety of processing of materials suitable for finishing and semi-finishing and roughing the corresponding chip-breaking groove. My company has introduced for the mold industry, the automotive, aerospace and advanced cutting tools and hole cutting tools, according to the different needs of customers to sample plans to produce various kinds of cutting tools for machining manufacturing to provide complete solutions.
- ▶ Perfect marketing and service network in the company's marketing and service network throughout the country, the product quality by the majority of users praise. Products are exported to all continents.
- ▶ Limitless brand gold company vigorously promote "**strive for perfection, the front line of the world; customer first, forge ahead**" spirit of enterprise, to "revitalize national industry" as the goal. Adhere to the "customers first" principle to provide our clients with quality services. The company has passed GB/T19001-2008/ISO9001: 2008 quality management system certification.
- ▶ Corporate social responsibility in **LIFENG**, we do our best to fulfill their social responsibilities, in the global and local market principles of sustainable development, lead by example. Our code of conduct in accordance with Lifeng work, which includes corporate diversity, economic, social and environmental responsibility, and corporate governance and other aspects of content.
- ▶ Future challenges in today's competitive landscape, we are trends timely and rapid response capability, which is essential. Ever-changing world of insight and awareness are key elements of a successful career. Only by understanding the challenges of tomorrow, we can work out in today's strategic vision to the future.

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D14-31WC03	14	20	31	50	101	WC__030208	M2.5x5	T8	★
C20-2D14.5-32WC03	14.5		32		101				★
C20-2D15-33WC03	15		33		102				★
C20-2D15.5-34WC03	15.5		34		103				★
C20-2D16-35WC03	16		35		103				★
C20-2D16.5-36WC03	16.5		36		104				★
C20-2D17-37WC03	17	20	37	50	104	WC__030208	M2.5x5	T8	★
C20-2D17.5-38WC03	17.5		38		105				★
C20-2D18-39WC03	18		39		105				★
C20-2D18.5-40WC03	18.5		40		106				★
C20-2D19-41WC03	19		41		106				★
C20-2D19.5-42WC03	19.5		42		107				★
C20-2D20-43WC03	20	20	43	50	108	WC__030208	M2.5x6	T8	★
C20-2D20.5-44WC03	20.5		44		108				★
C20-2D21-45WC04	21		45		109	WC__040208	M2.5x7D	T8	★
C20-2D21.5-46WC04	21.5		46		109				★
C20-2D22-47WC04	22		47		111				★
C20-2D22.5-48WC04	22.5		48		115				★
C20-2D23-49WC04	23	20	49	50	115				★
C20-2D23.5-50WC04	23.5		50		115				★
C20-2D24-51WC04	24		51		116				★
C20-2D24.5-52WC04	24.5		52		117				★
C20-2D25-53WC05	25		53		117	WC__050308	M3x7	T10	★



U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-2D14-31WC03	14	25	31	56	108	WC__030208	M2.5x5	T8	★
C25-2D14.5-32WC03	14.5		32		109				★
C25-2D15-33WC03	15		33		110				★
C25-2D15.5-34WC03	15.5		34		110				★
C25-2D16-35WC03	16		35		111				★
C25-2D16.5-36WC03	16.5		36		111				★
C25-2D17-37WC03	17	25	37	56	113	WC__030208	M2.5x5	T8	★
C25-2D17.5-38WC03	17.5		38		114				★
C25-2D18-39WC03	18		39		115				★
C25-2D18.5-40WC03	18.5		40		116				★
C25-2D19-41WC03	19		41		116				★
C25-2D19.5-42WC03	19.5		42		117				★
C25-2D20-43WC03	20	25	43	56	117	WC__030208	M2.5x6	T8	★
C25-2D20.5-44WC03	20.5		44		118				★
C25-2D21-45WC04	21		45		119	WC__040208	M2.5x7D	T8	★
C25-2D21.5-46WC04	21.5		46		119				★
C25-2D22-47WC04	22		47		121				★
C25-2D22.5-48WC04	22.5		48		121				★
C25-2D23-49WC04	23	25	49	56	122				★
C25-2D23.5-50WC04	23.5		50		122				★
C25-2D24-51WC04	24		51		124	WC__050308	M3x8	T10	★
C25-2D24.5-52WC04	24.5		52		124				★
C25-2D25-53WC05	25		53		125				★
C32-2D25.5-54WC05	25.5	32	54	60	137	WC__050308	M3x8	T10	★
C32-2D26-55WC05	26		55		138				★
C32-2D26.5-56WC05	26.5		56		138				★
C32-2D27-57WC05	27		57		139				★
C32-2D27.5-58WC05	27.5		58		139				★
C32-2D28-59WC05	28		59		140				★
C32-2D28.5-60WC05	28.5	32	60	60	140	WC__06T308	M3.5x9	T15	★
C32-2D29-62WC05	29		62		142				★
C32-2D29.5-63WC05	29.5		63		142				★
C32-2D30-64WC05	30		64		144				★
C32-2D30.5-65WC05	30.5		65		144				★
C32-2D31-66WC06	31		66		151				★
C32-2D31.5-67WC06	31.5	32	67	60	151	WC__06T308	M3.5x9	T15	★
C32-2D32-68WC06	32		68		151				★
C32-2D32.5-69WC06	32.5		69		152				★

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-2D33-70WC06	33	32	70	60	152	WC__06T308	M3.5x9	T15	★
C32-2D33.5-71WC06	33.5		71		153				★
C32-2D34-72WC06	34		72		156				★
C32-2D34.5-73WC06	34.5		73		156				★
C32-2D35-74WC06	35		74		157				★
C32-2D35.5-75WC06	35.5		75		157				★
C32-2D36-76WC06	36		76		161				★
C32-2D36.5-77WC06	36.5		77		161				★
C32-2D37-79WC06	37		79		163				★
C32-2D37.5-80WC06	37.5		80		163				★
C32-2D38-81WC06	38		81		165				★
C32-2D38.5-82WC06	38.5		82		165				★
C32-2D39-83WC06	39	40	83	70	168	WC__080412	M4x10	T15	★
C32-2D39.5-84WC06	39.5		84		168				★
C40-2D40-85WC06	40		85		181				★
C40-2D41-87WC06	41		87		183				★
C40-2D42-89WC08	42		89		185				★
C40-2D43-91WC08	43		91		187				★
C40-2D44-93WC08	44		93		189				★
C40-2D45-95WC08	45		95		191				★
C40-2D46-97WC08	46		97		193				★
C40-2D47-99WC08	47		99		195				★
C40-2D48-101WC08	48		101		197				★
C40-2D49-103WC08	49		103		199				★
C40-2D50-105WC08	50	40	105	70	201	WC__080412	M4x10	T15	★
C40-2D51-107WC08	51		107		203				★
C40-2D52-109WC08	52		109		205				★
C40-2D53-111WC08	53		111		207				★
C40-2D54-113WC08	54		113		209				★
C40-2D55-115WC08	55		115		211				★
C40-2D56-120WC08	56		120		220				★
C40-2D57-122WC08	57		122		222				☆
C40-2D58-124WC08	58		124		224				☆
C40-2D59-126WC08	59		126		226				☆

U钻 (U-Drill)

WC型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C40-2D55-115WC06	55	40	115	70	211	WC__06T308	M3.5x9	T15	★
C40-2D56-120WC06	56		120		220				★
C40-2D57-122WC06	57		122		222				★
C40-2D58-124WC06	58		124		224				★
C40-2D59-126WC06	59		126		226				★
C40-2D60-128WC06	60		128		228				★
C40-2D61-130WC06	61		130		232				★
C40-2D62-132WC06	62		132		234				★
C40-2D63-134WC06	63		134		236				★
C40-2D64-136WC06	64		136		238				★
C40-2D65-138WC06	65		138		240				★
C40-2D66-142WC06	66		142		242				★
C40-2D67-144WC06	67		144		244				★
C40-2D68-146WC06	68		146		246				★
C40-2D69-148WC06	69		148		248				★
C40-2D70-150WC06	70		150		250				★
C40-2D71-152WC06	71		152		252				★
C40-2D72-154WC06	72		154		254				★
C40-2D73-156WC06	73		156		256				★
C40-2D74-158WC06	74		158		258				★
C40-2D75-160WC06	75		160		260				★
C40-2D76-162WC06	76		162		262				★
C40-2D77-164WC06	77		164		264				★
C40-2D78-166WC06	78		166		266				★
C40-2D79-168WC06	79		168		268				★
C40-2D80-170WC06	80		170		270				★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D14-45WC03	14	20	45	50	115	WC__030208	M2.5x5	T8	★
C20-3D14.5-47WC03	14.5		47		116				★
C20-3D15-48WC03	15		48		117				★
C20-3D15.5-50WC03	15.5		50		118				★
C20-3D16-51WC03	16		51		119				★
C20-3D16.5-53WC03	16.5		53		120				★
C20-3D17-54WC03	17		54		121				★
C20-3D17.5-56WC03	17.5		56		123				★
C20-3D18-57WC03	18	20	57	50	123	WC__030208	M2.5x6	T8	★
C20-3D18.5-59WC03	18.5		59		125				★
C20-3D19-60WC03	19		60		125				★
C20-3D19.5-62WC03	19.5		62		127				★
C20-3D20-63WC03	20		63		127				★
C20-3D20.5-65WC03	20.5		65		129				★
C20-3D21-66WC04	21		66		130	WC__040208	M2.5x7D	T8	★
C20-3D21.5-68WC04	21.5		68		131				★
C20-3D22-69WC04	22		69		133				★
C20-3D22.5-71WC04	22.5		71		138				★
C20-3D23-72WC04	23		72		138				★
C20-3D23.5-74WC04	23.5		74		139				★
C20-3D24-75WC04	24		75		139				★
C20-3D24.5-77WC04	24.5		77		142				★
C20-3D25-78WC05	25		78		142	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-3D14-45WC03	14	25	45	56	107	WC__030208	M2.5x5	T8	★
C25-3D14.5-47WC03	14.5		47		109				★
C25-3D15-48WC03	15		48		110				★
C25-3D15.5-50WC03	15.5		50		112				★
C25-3D16-51WC03	16		51		113				★
C25-3D16.5-53WC03	16.5		53		127				★
C25-3D17-54WC03	17	25	54	56	128	WC__030208	M2.5x6	T8	★
C25-3D17.5-56WC03	17.5		56		130				★
C25-3D18-57WC03	18		57		131				★
C25-3D18.5-59WC03	18.5		59		133				★
C25-3D19-60WC03	19		60		134				★
C25-3D19.5-62WC03	19.5		62		136				★
C25-3D20-63WC03	20	25	63	56	137	WC__040208	M2.5x7D	T8	★
C25-3D20.5-65WC03	20.5		65		139				★
C25-3D21-66WC04	21		66		140				★
C25-3D21.5-68WC04	21.5		68		142				★
C25-3D22-69WC04	22		69		146				★
C25-3D22.5-71WC04	22.5		71		148				★
C25-3D23-72WC04	23	25	72	56	149	WC__050308	M3x8	T10	★
C25-3D23.5-74WC04	23.5		74		151				★
C25-3D24-75WC04	24		75		152				★
C25-3D24.5-77WC04	24.5		77		163				★
C25-3D25-78WC05	25		78		163				★
C32-3D25.5-80WC05	25.5	32	80	60	165				★
C32-3D26-81WC05	26		81		165				★
C32-3D26.5-83WC05	26.5		83		167				★
C32-3D27-84WC05	27		84		168				★
C32-3D27.5-86WC05	27.5		86		169				★
C32-3D28-87WC05	28		87		171				★
C32-3D28.5-89WC05	28.5	32	89	60	172	WC__06T308	M3.5x9	T15	★
C32-3D29-91WC05	29		91		173				★
C32-3D29.5-93WC05	29.5		93		174				★
C32-3D30-94WC05	30		94		180				★
C32-3D30.5-96WC05	30.5		96		182				★
C32-3D31-97WC06	31		97		183				★
C32-3D31.5-99WC06	31.5	32	99	60	184				★
C32-3D32-100WC06	32		100						★
C32-3D32.5-102WC06	32.5		102						★

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-3D33-103WC06	33	32	103	60	185	WC__06T308	M3.5x9	T15	★
C32-3D33.5-105WC06	33.5		105		186				★
C32-3D34-106WC06	34		106		190				★
C32-3D34.5-108WC06	34.5		108		191				★
C32-3D35-109WC06	35		109		192				★
C32-3D35.5-111WC06	35.5		111		193				★
C32-3D36-112WC06	36	32	112	60	197	WC__06T308	M3.5x9	T15	★
C32-3D36.5-114WC06	36.5		114		198				★
C32-3D37-116WC06	37		116		200				★
C32-3D37.5-118WC06	37.5		118		201				★
C32-3D38-119WC06	38		119		202				★
C32-3D38.5-121WC06	38.5		121		204				★
C32-3D39-122WC06	39	40	122	70	205	WC__080412	M4x10	T15	★
C32-3D39.5-124WC06	39.5		124		206				★
C40-3D40-125WC06	40		125		221				★
C40-3D41-128WC06	41		128		224				★
C40-3D42-131WC08	42		131		227				★
C40-3D43-134WC08	43		134		230				★
C40-3D44-137WC08	44	40	137	70	233	WC__080412	M4x10	T15	★
C40-3D45-140WC08	45		140		236				★
C40-3D46-143WC08	46		143		239				★
C40-3D47-146WC08	47		146		242				★
C40-3D48-149WC08	48		149		245				★
C40-3D49-152WC08	49		152		248				★
C40-3D50-155WC08	50	40	155	70	251	WC__080412	M4x10	T15	★
C40-3D51-158WC08	51		158		254				★
C40-3D52-161WC08	52		161		257				★
C40-3D53-164WC08	53		164		260				★
C40-3D54-167WC08	54		167		263				★
C40-3D55-170WC08	55		170		266				★
C40-3D56-176WC08	56	40	176	70	276	WC__080412	M4x10	T15	★
C40-3D57-179WC08	57		179		279				☆
C40-3D58-182WC08	58		182		282				☆
C40-3D59-185WC08	59		185		285				☆

U钻 (U-Drill)

WC型浅孔钻/U钻 3D WC tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C40-3D55-170WC06	55	40	170	70	266	WC__06T308	M3.5x9	T15	★
C40-3D56-176WC06	56		176		276				★
C40-3D57-179WC06	57		179		279				★
C40-3D58-182WC06	58		182		282				★
C40-3D59-185WC06	59		185		285				★
C40-3D60-188WC06	60		188		288				★
C40-3D61-193WC06	61		193		293				★
C40-3D62-196WC06	62		196		296				★
C40-3D63-199WC06	63		199		299				★
C40-3D64-202WC06	64		202		302				★
C40-3D65-205WC06	65		205		305				★
C40-3D66-208WC06	66		208		308				★
C40-3D67-211WC06	67		211		311				★
C40-3D68-214WC06	68		214		314				★
C40-3D69-217WC06	69		217		317				★
C40-3D70-220WC06	70		220		320				★
C40-3D71-223WC06	71		223		323				★
C40-3D72-226WC06	72		226		326				★
C40-3D73-229WC06	73		229		329				★
C40-3D74-232WC06	74		232		332				★
C40-3D75-235WC06	75		235		335				★
C40-3D76-238WC06	76		238		338				★
C40-3D77-241WC06	77		241		341				★
C40-3D78-244WC06	78		244		344				★
C40-3D79-247WC06	79		247		347				★
C40-3D80-250WC06	80		250		350				★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D14-59WC03	14	20	59	50	129	WC__030208	M2.5x5	T8	★
C20-4D14.5-61WC03	14.5		61		130				★
C20-4D15-63WC03	15		63		132				★
C20-4D15.5-65WC03	15.5		65		133				★
C20-4D16-67WC03	16		67		135				★
C20-4D16.5-69WC03	16.5		69		136				★
C20-4D17-71WC03	17		71		138				★
C20-4D17.5-73WC03	17.5		73		140				★
C20-4D18-75WC03	18	20	75	50	141	WC__030208	M2.5x6	T8	★
C20-4D18.5-77WC03	18.5		77		143				★
C20-4D19-79WC03	19		79		144				★
C20-4D19.5-81WC03	19.5		81		146				★
C20-4D20-83WC03	20		83		147				★
C20-4D20.5-85WC03	20.5		85		149				★
C20-4D21-87WC04	21		87		150	WC__040208	M2.5x7D	T8	★
C20-4D21.5-89WC04	21.5		89		152				★
C20-4D22-91WC04	22		91		154				★
C20-4D22.5-93WC04	22.5		93		160				★
C20-4D23-95WC04	23		95		161				★
C20-4D23.5-97WC04	23.5		97		162				★
C20-4D24-99WC04	24		99		163				★
C20-4D24.5-101WC04	24.5		101		166				★
C20-4D25-103WC05	25		103		167	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-4D14-59WC03	14	20	59	56	136	WC__030208	M2.5x5	T8	★
C25-4D14.5-61WC03	14.5		61		138				★
C25-4D15-63WC03	15		63		140				★
C25-4D15.5-65WC03	15.5		65		141				★
C25-4D16-67WC03	16		67		143				★
C25-4D16.5-69WC03	16.5		69		144				★
C25-4D17-71WC03	17		71		147				★
C25-4D17.5-73WC03	17.5	25	73	56	149	WC__030208	M2.5x6	T8	★
C25-4D18-75WC03	18		75		151				★
C25-4D18.5-77WC03	18.5		77		152				★
C25-4D19-79WC03	19		79		154				★
C25-4D19.5-81WC03	19.5		81		155				★
C25-4D20-83WC03	20		83		157				★
C25-4D20.5-85WC03	20.5		85		159				★
C25-4D21-87WC04	21	25	87	56	160	WC__040208	M2.5x7D	T8	★
C25-4D21.5-89WC04	21.5		89		162				★
C25-4D22-91WC04	22		91		164				★
C25-4D22.5-93WC04	22.5		93		166				★
C25-4D23-95WC04	23		95		168				★
C25-4D23.5-97WC04	23.5		97		169				★
C25-4D24-99WC04	24		99		172				★
C25-4D24.5-101WC04	24.5	32	101	60	173	WC__050308	M3x8	T10	★
C25-4D25-103WC05	25		103		175				★
C32-4D25.5-105WC05	25.5		105		188				★
C32-4D26-107WC05	26		107		189				★
C32-4D26.5-109WC05	26.5		109		191				★
C32-4D27-111WC05	27		111		192				★
C32-4D27.5-113WC05	27.5		113		194				★
C32-4D28-115WC05	28	32	115	60	196	WC__06T308	M3.5x9	T15	★
C32-4D28.5-117WC05	28.5		117		197				★
C32-4D29-120WC05	29		120		200				★
C32-4D29.5-122WC05	29.5		122		201				★
C32-4D30-124WC05	30		124		203				★
C32-4D30.5-126WC05	30.5		126		205				★
C32-4D31-128WC06	31		128		212				★
C32-4D31.5-130WC06	31.5	32	130	60	214	WC__06T308	M3.5x9	T15	★
C32-4D32-132WC06	32		132		215				★
C32-4D32.5-134WC06	32.5		134		216				★
C32-4D33-136WC06	33		136		218				★
C32-4D33.5-138WC06	33.5		138		219				★

U钻 (U-Drill)

WC型浅孔钻/U钻 4D WC tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-4D34-140WC06	34	32	140	60	224	WC__06T308	M3.5x9	T15	★
C32-4D34.5-142WC06	34.5		142		225				★
C32-4D35-144WC06	35		144		227				★
C32-4D35.5-146WC06	35.5		146		228				★
C32-4D36-148WC06	36		148		233				★
C32-4D36.5-150WC06	36.5		150		234				★
C32-4D37-153WC06	37		153		237				★
C32-4D37.5-155WC06	37.5	40	155	70	238	WC__080412	M4x10	T15	★
C32-4D38-157WC06	38		157		240				★
C32-4D38.5-159WC06	38.5		159		242				★
C32-4D39-161WC06	39		161		244				★
C32-4D39.5-163WC06	39.5		163		246				★
C40-4D40-165WC06	40		165		261				★
C40-4D41-169WC06	41		169		265				★
C40-4D42-173WC08	42	40	173	70	269	WC__06T308	M3.5x9	T15	★
C40-4D43-177WC08	43		177		273				★
C40-4D44-181WC08	44		181		277				★
C40-4D45-185WC08	45		185		281				★
C40-4D46-189WC08	46		189		285				★
C40-4D47-193WC08	47		193		289				★
C40-4D48-197WC08	48		197		293				★
C40-4D49-201WC08	49	40	201	70	297	WC__06T308	M3.5x9	T15	★
C40-4D50-205WC08	50		205		301				★
C40-4D51-209WC08	51		209		305				★
C40-4D52-213WC08	52		213		309				★
C40-4D53-217WC08	53		217		313				★
C40-4D54-221WC08	54		221		317				★
C40-4D55-225WC08	55		225		321				★
C40-4D56-232WC08	56	40	232	70	332	WC__06T308	M3.5x9	T15	★
C40-4D57-236WC08	57		236		336				★
C40-4D58-240WC08	58		240		340				★
C40-4D59-244WC08	59		244		344				★
C40-4D55-225WC06	55		225		321				★
C40-4D56-232WC06	56		232		332				★
C40-4D57-236WC06	57		236		336				★
C40-4D58-240WC06	58	40	240	70	340	WC__06T308	M3.5x9	T15	★
C40-4D59-244WC06	59		244		344				★
C40-4D60-248WC06	60		248		348				★
C40-4D61-254WC06	61		254		354				★
C40-4D62-258WC06	62		258		358				★
C40-4D63-262WC06	63		262		362				★
C40-4D64-266WC06	64		266		366				★
C40-4D65-270WC06	65	40	270	70	370	WC__06T308	M3.5x9	T15	★
C40-4D66-274WC06	66		274		374				★
C40-4D67-278WC06	67		278		378				★
C40-4D68-282WC06	68		282		382				★
C40-4D69-286WC06	69		286		386				★
C40-4D70-290WC06	70		290		390				★
C40-4D71-294WC06	71		294		394				★
C40-4D72-298WC06	72	40	298	70	398	WC__06T308	M3.5x9	T15	★
C40-4D73-302WC06	73		302		402				★
C40-4D74-306WC06	74		306		406				★
C40-4D75-310WC06	75		310		410				★
C40-4D76-314WC06	76		314		414				★
C40-4D77-318WC06	77		318		418				★
C40-4D78-322WC06	78		322		422				★
C40-4D79-326WC06	79	40	326	70	426	WC__06T308	M3.5x9	T15	★
C40-4D80-330WC06	80		330		430				★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D14-73WC03	14		73		143	WC__030208	M2.5x5	T8	★
C20-5D14.5-76WC03	14.5		76		145				★
C20-5D15-78WC03	15		78		147				★
C20-5D15.5-81WC03	15.5		81		149				★
C20-5D16-83WC03	16	20	83	50	151				★
C20-5D16.5-86WC03	16.5		86		153				★
C20-5D17-88WC03	17		88		155	WC__030208	M2.5x6	T8	★
C20-5D17.5-91WC03	17.5		91		158				★
C20-5D18-93WC03	18		93		159				★
C20-5D18.5-96WC03	18.5		96		162				★
C20-5D19-98WC03	19	20	98	50	163				★
C20-5D19.5-101WC03	19.5		101		166				★
C20-5D20-103WC03	20		103		167	WC__040208	M2.5x7D	T8	★
C20-5D20.5-106WC03	20.5		106		170				★
C20-5D21-108WC04	21		108		171				★
C20-5D21.5-111WC04	21.5		111		174				★
C20-5D22-113WC04	22		113		176				★
C20-5D22.5-116WC04	22.5		116		183				★
C20-5D23-118WC04	23	20	118	50	184	WC__040208	M2.5x7D	T8	★
C20-5D23.5-121WC04	23.5		121		186				★
C20-5D24-123WC04	24		123		187				★
C20-5D24.5-126WC04	24.5		126		191				★
C20-5D25-128WC05	25		128		192	WC__050308	M3x8	T10	★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-5D14-73WC03	14		73		150	WC__030208	M2.5x5	T8	★
C25-5D14.5-76WC03	14.5		76		153				★
C25-5D15-78WC03	15		78		155				★
C25-5D15.5-81WC03	15.5		81		157				★
C25-5D16-83WC03	16	25	83	56	159				★
C25-5D16.5-86WC03	16.5		86		161				★
C25-5D17-88WC03	17		88		147	WC__030208	M2.5x6	T8	★
C25-5D17.5-91WC03	17.5		91		167				★
C25-5D18-93WC03	18		93		169				★
C25-5D18.5-96WC03	18.5		96		171				★
C25-5D19-98WC03	19	25	98	56	173				★
C25-5D19.5-101WC03	19.5		101		175	WC__040208	M2.5x7D	T8	★
C25-5D20-103WC03	20		103		177				★
C25-5D20.5-106WC03	20.5		106		180				★
C25-5D21-108WC04	21		108		181				★
C25-5D21.5-111WC04	21.5		111		184				★
C25-5D22-113WC04	22		113		186	WC__040208	M2.5x7D	T8	★
C25-5D22.5-116WC04	22.5		116		189				★
C25-5D23-118WC04	23	25	118	56	191				★
C25-5D23.5-121WC04	23.5		121		193				★
C25-5D24-123WC04	24		123		196				★
C25-5D24.5-126WC04	24.5		126		198	WC__050308	M3x8	T10	★
C25-5D25-128WC05	25		128		200				★
C32-5D25.5-131WC05	25.5		131		214				★
C32-5D26-133WC05	26		133		215				★
C32-5D26.5-136WC05	26.5		136		218				★
C32-5D27-138WC05	27		138		219	WC__050308	M3x8	T10	★
C32-5D27.5-141WC05	27.5		141		222				★
C32-5D28-143WC05	28	32	143	60	224				★
C32-5D28.5-146WC05	28.5		146		226				★
C32-5D29-149WC05	29		149		229				★
C32-5D29.5-151WC05	29.5		151		231	WC__06T308	M3.5x9	T15	★
C32-5D30-154WC05	30		154		233				★
C32-5D30.5-157WC05	30.5		157		236				★
C32-5D31-159WC06	31		159		243				★
C32-5D31.5-162WC06	31.5		162		246				★
C32-5D32-164WC06	32	32	164	60	247	WC__06T308	M3.5x9	T15	★
C32-5D32.5-167WC06	32.5		167		249				★
C32-5D33-169WC06	33		169		251				★
C32-5D33.5-172WC06	33.5		172		253				★
C32-5D34-174WC06	34		174		258				★

U钻 (U-Drill)

WC型浅孔钻/U钻 5D WC tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-5D34.5-177WC06	34.5	32	177	60	260	WC__06T308	M3.5x9	T15	★
C32-5D35-179WC06	35		179		262				★
C32-5D35.5-182WC06	35.5		182		264				★
C32-5D36-184WC06	36		184		269				★
C32-5D36.5-187WC06	36.5		187		270				★
C32-5D37-190WC06	37		190		274				★
C32-5D37.5-193WC06	37.5		193		276				★
C32-5D38-195WC06	38		195		278				★
C32-5D38.5-198WC06	38.5		198		281				★
C32-5D39-200WC06	39		200		283				★
C32-5D39.5-203WC06	39.5	40	203	70	286	WC__080412	M4x10	T15	★
C40-5D40-205WC06	40		205		301				★
C40-5D41-210WC06	41		210		306				★
C40-5D42-220WC08	42		220		311				★
C40-5D43-225WC08	43		225		316				★
C40-5D44-230WC08	44		230		321				★
C40-5D45-235WC08	45		235		326				★
C40-5D46-240WC08	46		240		331				★
C40-5D47-245WC08	47		245		336				★
C40-5D48-250WC08	48		250		341				★
C40-5D49-255WC08	49	40	255	70	346	WC__06T308	M3.5x9	T15	★
C40-5D50-260WC08	50		260		351				★
C40-5D51-265WC08	51		265		356				★
C40-5D52-270WC08	52		270		361				★
C40-5D53-275WC08	53		275		366				★
C40-5D54-280WC08	54		280		371				★
C40-5D55-285WC08	55		285		376				★
C40-5D56-290WC08	56		290		388				★
C40-5D57-295WC08	57		295		393				☆
C40-5D58-300WC08	58		300		398				☆
C40-5D59-305WC08	59	40	305	70	403	WC__06T308	M3.5x9	T15	☆
C40-5D55-285WC06	55		285		376				★
C40-5D56-290WC06	56		290		388				★
C40-5D57-295WC06	57		295		393				★
C40-5D58-300WC06	58		300		398				★
C40-5D59-305WC06	59		305		403				★
C40-5D60-310WC06	60		310		408				★
C40-5D61-315WC06	61		315		415				★
C40-5D62-320WC06	62		320		420				★
C40-5D63-325WC06	63		325		425				★
C40-5D64-330WC06	64	40	330	70	430				★
C40-5D65-335WC06	65		335		435				★
C40-5D66-340WC06	66		340		440				★
C40-5D67-345WC06	67		345		445				★
C40-5D68-350WC06	68		350		450				★
C40-5D69-355WC06	69		355		455				★
C40-5D70-360WC06	70		360		460				★
C40-5D71-365WC06	71		365		465				★
C40-5D72-370WC06	72		370		470				★
C40-5D73-375WC06	73		375		475				★
C40-5D74-380WC06	74	40	380	70	480	WC__06T308	M3.5x9	T15	★
C40-5D75-385WC06	75		385		485				★
C40-5D76-390WC06	76		390		490				★
C40-5D77-395WC06	77		395		495				☆
C40-5D78-400WC06	78		400		500				☆
C40-5D79-405WC06	79		405		505				☆
C40-5D80-410WC06	80		410		510				☆

U钻 (U-Drill)

SP型浅孔钻/U钻 2D WC tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D12.5-28SP05	12.5	20	28	50	98	SP__050204	M2x5	T6	★
C20-2D13-29SP05	13		29		99				★
C20-2D13.5-30SP05	13.5		30		99				★
C20-2D14-31SP05	14		31		100				★
C20-2D14.5-32SP05	14.5		32		100				★
C20-2D15-33SP05	15	20	33	50	101	SP__060204	M2.5x5	T6	★
C20-2D15.5-34SP06	15.5		34		102				★
C20-2D16-35SP06	16		35		103				★
C20-2D16.5-36SP06	16.5		36		104				★
C20-2D17-37SP06	17		37		105				★
C20-2D17.5-38SP06	17.5		38		106				★
C20-2D18-39SP06	18		39		106				★
C20-2D18.5-40SP06	18.5		40		107				★
C20-2D19-41SP06	19		41		107				★
C20-2D19.5-42SP06	19.5		42		108				★
C20-2D20-43SP06	20	20	43	50	109	SP__07T308	M2.5x7	T8	★
C20-2D20.5-44SP06	20.5		44		110				★
C20-2D21-45SP06	21		45		111				★
C20-2D21.5-46SP06	21.5		46		112				★
C20-2D22-47SP07	22		47		115				★
C20-2D22.5-48SP07	22.5		48		115				★
C20-2D23-49SP07	23		49		116				★
C20-2D23.5-50SP07	23.5		50		116				★
C20-2D24-51SP07	24		51		117				★
C20-2D24.5-52SP07	24.5		52		118				★
C20-2D25-53SP07	25	20	53	50	119	SP__07T308	M2.5x7	T8	★

U钻 (U-Drill)

SP型浅孔钻/U钻 2D SP tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-2D12.5-28SP05	12.5	25	28	56	107	SP__050204	M2x5	T6	★
C25-2D13-29SP05	13		29		107				★
C25-2D13.5-30SP05	13.5		30		108				★
C25-2D14-31SP05	14		31		108				★
C25-2D14.5-32SP05	14.5		32		109				★
C25-2D15-33SP05	15		33		109				★
C25-2D15.5-34SP06	15.5		34		110				★
C25-2D16-35SP06	16		35		111				★
C25-2D16.5-36SP06	16.5		36		111				★
C25-2D17-37SP06	17		37		113				★
C25-2D17.5-38SP06	17.5	25	38	56	114	SP__060204	M2.5x5	T6	★
C25-2D18-39SP06	18		39		114				★
C25-2D18.5-40SP06	18.5		40		115				★
C25-2D19-41SP06	19		41		116				★
C25-2D19.5-42SP06	19.5		42		116				★
C25-2D20-43SP06	20		43		117				★
C25-2D20.5-44SP06	20.5		44		117				★
C25-2D21-45SP06	21		45		118				★
C25-2D21.5-46SP06	21.5		46		118				★
C25-2D22-47SP07	22		47		121	SP__07T308	M2.5x7	T8	★
C25-2D22.5-48SP07	22.5		48		121				★
C25-2D23-49SP07	23		49		122				★
C25-2D23.5-50SP07	23.5		50		122				★
C25-2D24-51SP07	24		51		123				★
C25-2D24.5-52SP07	24.5		52		123				★
C25-2D25-53SP07	25		53		124				★
C32-2D25.5-54SP07	25.5	32	54	60	137				★
C32-2D26-55SP07	26		55		137				★
C32-2D26.5-56SP07	26.5		56		138				★
C32-2D27-57SP07	27		57		139				★
C32-2D27.5-58SP07	27.5	32	58	60	139	SP__090408	M3.5x9	T15	★
C32-2D28-59SP09	28		59		140				★
C32-2D28.5-60SP09	28.5		60		141				★
C32-2D29-62SP09	29		62		142				★
C32-2D29.5-63SP09	29.5		63		143				★
C32-2D30-64SP09	30		64		143				★
C32-2D30.5-65SP09	30.5		65		144				★
C32-2D31-66SP09	31		66		151				★
C32-2D31.5-67SP09	31.5		67		151				★

U钻 (U-Drill)

SP型浅孔钻/U钻 2D SP tyge U-drill 2D

钻削深度(Drilling depth): 2xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-2D32-68SP09	32	32	68	60	152	SP__090408	M3.5x9	T15	★
C32-2D32.5-69SP09	32.5		69		152				★
C32-2D33-70SP09	33		70		153				★
C32-2D33.5-71SP09	33.5		71		153				★
C32-2D34-72SP11	34		72		156				★
C32-2D34.5-73SP11	34.5		73		156				★
C32-2D35-74SP11	35		74		157				★
C32-2D35.5-75SP11	35.5		75		157				★
C32-2D36-76SP11	36		76		162				★
C32-2D36.5-77SP11	36.5		77		162				★
C32-2D37-79SP11	37	32	79	60	164	SP__110408	M4x10	T15	★
C32-2D37.5-80SP11	37.5		80		164				★
C32-2D38-81SP11	38		81		166				★
C32-2D38.5-82SP11	38.5		82		167				★
C32-2D39-83SP11	39		83		168				★
C32-2D39.5-84SP11	39.5		84		168				★
C40-2D40-85SP11	40		85		181				★
C40-2D41-87SP11	41		87		183				★
C40-2D42-89SP14	42		89		185				★
C40-2D43-91SP14	43		91		187				★
C40-2D44-93SP14	44	40	93	70	189	SP__140512	M5x11	T20	★
C40-2D45-95SP14	45		95		191				★
C40-2D46-97SP14	46		97		193				★
C40-2D47-99SP14	47		99		195				★
C40-2D48-101SP14	48		101		197				★
C40-2D49-103SP14	49		103		199				★
C40-2D50-105SP14	50		105		201				★
C40-2D51-107SP07	51		107		203	SP__07T308	M2.5x7	T8	★
C40-2D52-109SP07	52		109		205				★
C40-2D53-111SP07	53		111		207				★
C40-2D54-113SP07	54		113		209				★
C40-2D55-115SP07	55	40	115	70	211	SP__090408	M3.5x9	T15	★
C40-2D56-120SP09	56		120		220				★
C40-2D57-122SP09	57		122		222				★
C40-2D58-124SP09	58		124		224				★
C40-2D59-126SP09	59		126		226				★
C40-2D60-128SP09	60		128		228				★
C40-2D61-132SP09	61		132		232				★
C40-2D62-134SP09	62		134		234				★
C40-2D63-136SP09	63		136		236				★
C40-2D64-138SP09	64		138		238				★
C40-2D65-140SP09	65		140		240	SP__110408	M4x10	T15	★
C40-2D66-142SP09	66		142		242				★
C40-2D67-144SP11	67		144		244				★
C40-2D68-146SP11	68		146		246				★
C40-2D69-148SP11	69		148		248				★
C40-2D70-150SP11	70		150		250				★
C40-2D71-152SP11	71		152		252				★
C40-2D72-154SP11	72		154		254				★
C40-2D73-156SP11	73		156		256				★
C40-2D74-158SP11	74		158		258				★
C40-2D75-160SP11	75	40	160	70	260				★
C40-2D76-162SP11	76		162		262				★
C40-2D77-164SP11	77		164		264				★
C40-2D78-166SP11	78		166		266				★
C40-2D79-168SP11	79		168		268				★
C40-2D80-170SP11	80		170		270				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D12.5-41SP05	12.5	20	41	50	111	SP__050204	M2x5	T6	★
C20-3D13-42SP05	13		42		112				★
C20-3D13.5-44SP05	13.5		44		113				★
C20-3D14-45SP05	14		45		114				★
C20-3D14.5-47SP05	14.5		47		115				★
C20-3D15-48SP05	15		48		116				★
C20-3D15.5-50SP06	15.5	20	50	50	118	SP__060204	M2.2x5	T6	★
C20-3D16-51SP06	16		51		119				★
C20-3D16.5-53SP06	16.5		53		122				★
C20-3D17-54SP06	17		54		122				★
C20-3D17.5-56SP06	17.5	20	56	50	124				★
C20-3D18-57SP06	18		57		124				★
C20-3D18.5-59SP06	18.5		59		126				★
C20-3D19-60SP06	19		60		126				★
C20-3D19.5-62SP06	19.5		62		128				★
C20-3D20-63SP06	20		63		129				★
C20-3D20.5-65SP06	20.5		65		131				★
C20-3D21-66SP06	21		66		132				★
C20-3D21.5-68SP06	21.5		68		134				★
C20-3D22-69SP07	22	20	69	50	137	SP__07T308	M2.5x7	T8	★
C20-3D22.5-71SP07	22.5		71		138				★
C20-3D23-72SP07	23		72		139				★
C20-3D23.5-74SP07	23.5		74		140				★
C20-3D24-75SP07	24		75		141				★
C20-3D24.5-77SP07	24.5		77		143				★
C20-3D25-78SP07	25		78		144				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-3D12.5-41SP05	12.5	25	41	56	120	SP__050204	M2x5	T6	★
C25-3D13-42SP05	13		42		120				★
C25-3D13.5-44SP05	13.5		44		122				★
C25-3D14-45SP05	14		45		122				★
C25-3D14.5-47SP05	14.5		47		124				★
C25-3D15-48SP05	15		48		125				★
C25-3D15.5-50SP06	15.5	25	50	56	126	SP__060204	M2.2x5	T6	★
C25-3D16-51SP06	16		51		127				★
C25-3D16.5-53SP06	16.5		53		129				★
C25-3D17-54SP06	17		54		130				★
C25-3D17.5-56SP06	17.5		56		132				★
C25-3D18-57SP06	18		57		132				★
C25-3D18.5-59SP06	18.5		59		134				★
C25-3D19-60SP06	19		60		135				★
C25-3D19.5-62SP06	19.5		62		136				★
C25-3D20-63SP06	20		63		137				★
C25-3D20.5-65SP06	20.5		65		138				★
C25-3D21-66SP06	21		66		139				★
C25-3D21.5-68SP06	21.5		68		141				★
C25-3D22-69SP07	22	25	69	56	142	SP__07T308	M2.5x7	T8	★
C25-3D22.5-71SP07	22.5		71		143				★
C25-3D23-72SP07	23		72		144				★
C25-3D23.5-74SP07	23.5		74		146				★
C25-3D24-75SP07	24		75		146				★
C25-3D24.5-77SP07	24.5		77		148				★
C25-3D25-78SP07	25	32	78	60	149				★
C32-3D25.5-80SP07	25.5		80		163				★
C32-3D26-81SP07	26		81		163				★
C32-3D26.5-83SP07	26.5		83		165				★
C32-3D27-84SP07	27		84		166				★
C32-3D27.5-86SP07	27.5		86		167				★
C32-3D28-87SP09	28	32	87	60	168	SP__090408	M3.5x9	T15	★
C32-3D28.5-89SP09	28.5		89		169				★
C32-3D29-91SP09	29		91		171				★
C32-3D29.5-93SP09	29.5		93		173				★
C32-3D30-94SP09	30		94		173				★
C32-3D30.5-96SP09	30.5		96		175				★
C32-3D31-97SP09	31		97		182				★
C32-3D31.5-99SP09	31.5		99		183				★

U钻 (U-Drill)

SP型浅孔钻/U钻 3D SP tyge U-drill 3D

钻削深度(Drilling depth): 3xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-3D32-100SP09	32	32	100	60	184	SP__090408	M3.5x9	T15	★
C32-3D32.5-102SP09	32.5		102		185				★
C32-3D33-103SP09	33		103		185				★
C32-3D33.5-105SP09	33.5		105		186				★
C32-3D34-106SP11	34		106		189				★
C32-3D34.5-108SP11	34.5		108		191				★
C32-3D35-109SP11	35		109		191				★
C32-3D35.5-111SP11	35.5		111		192				★
C32-3D36-112SP11	36		112		198				★
C32-3D36.5-114SP11	36.5		114		199				★
C32-3D37-116SP11	37	32	116	60	200	SP__110408	M4x10	T15	★
C32-3D37.5-118SP11	37.5		118		201				★
C32-3D38-119SP11	38		119		203				★
C32-3D38.5-121SP11	38.5		121		205				★
C32-3D39-122SP11	39		122		206				★
C32-3D39.5-124SP11	39.5		124		208				★
C40-3D40-125SP11	40		125		221				★
C40-3D41-128SP11	41		128		224				★
C40-3D42-131SP14	42		131		227				★
C40-3D43-134SP14	43		134		230				★
C40-3D44-137SP14	44	40	137	70	233	SP__140512	M5x11	T20	★
C40-3D45-140SP14	45		140		236				★
C40-3D46-143SP14	46		143		239				★
C40-3D47-146SP14	47		146		242				★
C40-3D48-149SP14	48		149		245				★
C40-3D49-152SP14	49		152		248				★
C40-3D50-155SP14	50		155		251				★
C40-3D51-158SP07	51		158		254				★
C40-3D52-161SP07	52		161		257				★
C40-3D53-164SP07	53		164		260				★
C40-3D54-167SP07	54		167		263	SP__07T308	M2.5x7	T8	★
C40-3D55-170SP07	55		170		266				★
C40-3D56-173SP09	56		176		276				★
C40-3D57-179SP09	57		179		279				★
C40-3D58-182SP09	58		182		282				★
C40-3D59-185SP09	59		185		285				★
C40-3D60-188SP09	60		188		288				★
C40-3D61-193SP09	61		193		293				★
C40-3D62-196SP09	62		196		296				★
C40-3D63-199SP09	63		199		299	SP__090408	M3.5x9	T15	★
C40-3D64-202SP09	64	40	202	70	302				★
C40-3D65-205SP09	65		205		305				★
C40-3D66-208SP09	66		208		308				★
C40-3D67-211SP11	67		211		311				★
C40-3D68-214SP11	68		214		314				★
C40-3D69-217SP11	69		217		317				★
C40-3D70-220SP11	70		220		320				★
C40-3D71-223SP11	71		223		323				★
C40-3D72-226SP11	72		226		326				★
C40-3D73-229SP11	73		229		329	SP__110408	M4x10	T15	★
C40-3D74-232SP11	74		232		332				★
C40-3D75-235SP11	75		235		335				★
C40-3D76-238SP11	76		238		338				★
C40-3D77-241SP11	77		241		341				★
C40-3D78-244SP11	78		244		344				★
C40-3D79-247SP11	79		247		347				★
C40-3D80-250SP11	80		250		350				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D12.5-53SP05	12.5	20	53	50	123	SP__050204	M2x5	T6	★
C20-4D13-55SP05	13		55		125				★
C20-4D13.5-57SP05	13.5		57		126				★
C20-4D14-59SP05	14		59		128				★
C20-4D14.5-61SP05	14.5		61		129				★
C20-4D15-63SP05	15		63		131				★
C20-4D15.5-65SP06	15.5		65		133	SP__060204	M2.2x5	T6	★
C20-4D16-67SP06	16		67		135				★
C20-4D16.5-69SP06	16.5		69		137				★
C20-4D17-71SP06	17		71		139				★
C20-4D17.5-73SP06	17.5		73		141				★
C20-4D18-75SP06	18		75		142				★
C20-4D18.5-77SP06	18.5		77		144				★
C20-4D19-79SP06	19		79		145				★
C20-4D19.5-81SP06	19.5		81		147				★
C20-4D20-83SP06	20	20	83	50	149	SP__07T308	M2.5x7	T8	★
C20-4D20.5-85SP06	20.5		85		151				★
C20-4D21-87SP06	21		87		153				★
C20-4D21.5-89SP06	21.5		89		155				★
C20-4D22-91SP07	22		91		159				★
C20-4D22.5-93SP07	22.5		93		160				★
C20-4D23-95SP07	23		95		162				★
C20-4D23.5-97SP07	23.5		97		163				★
C20-4D24-99SP07	24		99		165				★
C20-4D24.5-101SP07	24.5		101		167				★
C20-4D25-103SP07	25		103		169				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-4D12.5-53SP05	12.5	25	53	56	132	SP__050204	M2x5	T6	★
C25-4D13-55SP05	13		55		133				★
C25-4D13.5-57SP05	13.5		57		135				★
C25-4D14-59SP05	14		59		136				★
C25-4D14.5-61SP05	14.5		61		138				★
C25-4D15-63SP05	15		63		140	SP__060204	M2.2x5	T6	★
C25-4D15.5-65SP06	15.5		65		141				★
C25-4D16-67SP06	16		67		143				★
C25-4D16.5-69SP06	16.5		69		145				★
C25-4D17-71SP06	17		71		147				★
C25-4D17.5-73SP06	17.5		73		149				★
C25-4D18-75SP06	18		75		150				★
C25-4D18.5-77SP06	18.5		77		152				★
C25-4D19-79SP06	19		79		154				★
C25-4D19.5-81SP06	19.5		81		155				★
C25-4D20-83SP06	20		83		157				★
C25-4D20.5-85SP06	20.5		85		158				★
C25-4D21-87SP06	21		87		160				★
C25-4D21.5-89SP06	21.5		89		162				★
C25-4D22-91SP07	22		91		164	SP__07T308	M2.5x7	T8	★
C25-4D22.5-93SP07	22.5		93		166				★
C25-4D23-95SP07	23		95		167				★
C25-4D23.5-97SP07	23.5		97		169				★
C25-4D24-99SP07	24		99		170				★
C25-4D24.5-101SP07	24.5		101		172				★
C25-4D25-103SP07	25		103		174				★
C32-4D25.5-105SP07	25.5	32	105	60	188	SP__090408	M3.5x8	T15	★
C32-4D26-107SP07	26		107		189				★
C32-4D26.5-109SP07	26.5		109		191				★
C32-4D27-111SP07	27		111		192				★
C32-4D27.5-113SP07	27.5		113		194				★
C32-4D28-115SP09	28		115		196				★
C32-4D28.5-117SP09	28.5		117		197				★
C32-4D29-120SP09	29		120		200				★
C32-4D29.5-122SP09	29.5		122		202				★
C32-4D30-124SP09	30		124		203				★
C32-4D30.5-126SP09	30.5		126		205				★
C32-4D31-128SP09	31		128		213				★
C32-4D31.5-130SP09	31.5		130		214				★

U钻 (U-Drill)

SP型浅孔钻/U钻 4D SP tyge U-drill 4D

钻削深度(Drilling depth): 4xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-4D32-132SP09	32	32	132	60	216	SP__090408	M3.5x9	T15	★
C32-4D32.5-134SP09	32.5		134		217				★
C32-4D33-136SP09	33		136		218				★
C32-4D33.5-138SP09	33.5		138		219				★
C32-4D34-140SP11	34		140		223				★
C32-4D34.5-142SP11	34.5	32	142	60	225	SP__110408	M4x10	T15	★
C32-4D35-144SP11	35		144		226				★
C32-4D35.5-146SP11	35.5		146		227				★
C32-4D36-148SP11	36		148		234				★
C32-4D36.5-150SP11	36.5		150		235				★
C32-4D37-152SP11	37		153		237				★
C32-4D37.5-155SP11	37.5		155		238				★
C32-4D38-157SP11	38		157		241				★
C32-4D38.5-159SP11	38.5		159		243				★
C32-4D39-161SP11	39		161		245				★
C32-4D39.5-163SP11	39.5	40	163	70	247	SP__140512	M5x11	T20	★
C40-4D40-165SP11	40		165		261				★
C40-4D41-169SP11	41		169		265				★
C40-4D42-173SP14	42		173		269				★
C40-4D43-177SP14	43		177		273				★
C40-4D44-181SP14	44		181		277				★
C40-4D45-185SP14	45		185		281				★
C40-4D46-189SP14	46		189		285				★
C40-4D47-193SP14	47		193		289				★
C40-4D48-197SP14	48		197		283				★
C40-4D49-201SP14	49	40	201	70	297	SP__07T308	M2.5x7	T8	★
C40-4D50-205SP14	50		205		301				★
C40-4D51-209SP07	51		209		305				★
C40-4D52-213SP07	52		213		309				★
C40-4D53-217SP07	53		217		313				★
C40-4D54-221SP07	54		221		317	SP__090408	M3.5x8	T15	★
C40-4D55-225SP07	55		225		321				★
C40-4D56-232SP09	56		232		332				★
C40-4D57-236SP09	57		236		336				★
C40-4D58-240SP09	58		240		340				★
C40-4D59-244SP09	59		244		344	SP__110408	M4x10	T15	★
C40-4D60-248SP09	60		248		348				★
C40-4D61-254SP09	61		254		354				★
C40-4D62-258SP09	62		258		358				★
C40-4D63-262SP09	63		262		362				★
C40-4D64-266SP09	64		266		366				★
C40-4D65-270SP09	65		270		370				★
C40-4D66-274SP09	66		274		374				★
C40-4D67-278SP11	67		278		378				★
C40-4D68-282SP11	68		282		382				★
C40-4D69-286SP11	69		286		386				★
C40-4D70-290SP11	70		290		390				★
C40-4D71-294SP11	71	40	294	70	394	SP__110408	M4x10	T15	★
C40-4D72-298SP11	72		298		398				★
C40-4D73-302SP11	73		302		402				★
C40-4D74-306SP11	74		306		406				★
C40-4D75-310SP11	75		310		410				★
C40-4D76-314SP11	76		314		414				★
C40-4D77-318SP11	77		318		418				★
C40-4D78-322SP11	78		322		422				★
C40-4D79-326SP11	79		326		426				★
C40-4D80-330SP11	80		330		430				★

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D12.5-66SP05	12.5	20	66	50	136	SP__050204	M2x5	T6	★
C20-5D13-68SP05	13		68		138				★
C20-5D13.5-71SP05	13.5		71		140				★
C20-5D14-73SP05	14		73		142				★
C20-5D14.5-76SP05	14.5		76		144				★
C20-5D15-78SP05	15		78		146				★
C20-5D15.5-81SP06	15.5		81		149	SP__060204	M2.2x5	T6	★
C20-5D16-83SP06	16		83		151				★
C20-5D16.5-86SP06	16.5		86		154				★
C20-5D17-88SP06	17		88		156				★
C20-5D17.5-91SP06	17.5		91		159				★
C20-5D18-93SP06	18		93		160				★
C20-5D18.5-96SP06	18.5		96		163				★
C20-5D19-98SP06	19		98		164				★
C20-5D19.5-101SP06	19.5		101		167				★
C20-5D20-103SP06	20		103		169				★
C20-5D20.5-106SP06	20.5		106		172				★
C20-5D21-108SP06	21		108		174				★
C20-5D21.5-111SP06	21.5		111		177				★
C20-5D22-113SP07	22		113		181	SP__07T308	M2.5x7	T8	★
C20-5D22.5-116SP07	22.5		116		183				★
C20-5D23-118SP07	23		118		185				★
C20-5D23.5-121SP07	23.5		121		187				★
C20-5D24-123SP07	24		123		189				★
C20-5D24.5-126SP07	24.5		126		192				★
C20-5D25-128SP07	25		128		194				★

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D

钻削深度(Drilling depth): 5xD




规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C25-5D12.5-66SP05	12.5	25	66	56	144	SP__050204	M2x5	T6	★
C25-5D13-68SP05	13		68		146				★
C25-5D13.5-71SP05	13.5		71		149				★
C25-5D14-73SP05	14		73		150				★
C25-5D14.5-76SP05	14.5		76		153				★
C25-5D15-78SP05	15		78		155				★
C25-5D15.5-81SP06	15.5		81		157	SP__060204	M2.2x5	T6	★
C25-5D16-83SP06	16		83		159				★
C25-5D16.5-86SP06	16.5		86		161				★
C25-5D17-88SP06	17		88		164				★
C25-5D17.5-91SP06	17.5		91		167				★
C25-5D18-939SP06	18		93		168				★
C25-5D18.5-96SP06	18.5		96		171				★
C25-5D19-98SP06	19		98		173				★
C25-5D19.5-101SP06	19.5		101		175				★
C25-5D20-103SP06	20		103		177				★
C25-5D20.5-106SP06	20.5		106		179				★
C25-5D21-108SP06	21		108		181				★
C25-5D21.5-111SP06	21.5		111		184				★
C25-5D22-113SP07	22		113	56	186	SP__07T308	M2.5x7	T8	★
C25-5D22.5-116SP07	22.5		116		189				★
C25-5D23-118SP07	23		118		190				★
C25-5D23.5-121SP07	23.5		121		193				★
C25-5D24-123SP07	24		123		194				★
C25-5D24.5-126SP07	24.5		126		197				★
C25-5D25-128SP07	25		128		199				★
C32-5D25.5-131SP07	25.5	32	131	60	214	SP__090408	M3.5x9	T15	★
C32-5D26-133SP07	26		133		215				★
C32-5D26.5-136SP07	26.5		136		218				★
C32-5D27-138SP07	27		138		219				★
C32-5D27.5-141SP07	27.5		141		222				★
C32-5D28-143SP09	28		143		224				★
C32-5D28.5-146SP09	28.5	32	146	60	226	SP__090408	M3.5x9	T15	★
C32-5D29-149SP09	29		149		229				★
C32-5D29.5-152SP09	29.5		152		231				★
C32-5D30-154SP09	30		154		233				★
C32-5D30.5-157SP09	30.5		157		236				★
C32-5D31-159SP09	31		159		244				★
C32-5D31.5-162SP09	31.5		162		246				★
C32-5D32-164SP09	32		164	60	248	SP__090408	M3.5x9	T15	★
C32-5D32.5-167SP09	32.5		167		250				★
C32-5D33-169SP09	33		169		251				★
C32-5D33.5-172SP09	33.5	32	172	60	253				★

U钻 (U-Drill)

SP型浅孔钻/U钻 5D SP tyge U-drill 5D


钻削深度(Drilling depth): 5xD



规格型号 Specification and model	D	d	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C32-5D34-174SP11	34	32	174	60	257	SP__110408	M4x10	T15	★
C32-5D34.5-177SP11	34.5		177		260				★
C32-5D35-179SP11	35		179		261				★
C32-5D35.5-182SP11	35.5		182		263				★
C32-5D36-184SP11	36		184		270				★
C32-5D36.5-187SP11	36.5		187		272				★
C32-5D37-190SP11	37		190		274				★
C32-5D37.5-193SP11	37.5		193		276				★
C32-5D38-195SP11	38		195		279				★
C32-5D38.5-198SP11	38.5		198		282				★
C32-5D39-200SP11	39	40	200	70	284	SP__140512	M5x11	T20	★
C32-5D39.5-203SP11	39.5		203		287				★
C40-5D40-205SP11	40		205		301				★
C40-5D41-210SP11	41		210		306				★
C40-5D42-215SP14	42		215		311				★
C40-5D43-220SP14	43		220		316				★
C40-5D44-225SP14	44		225		321				★
C40-5D45-230SP14	45		230		326				★
C40-5D46-235SP14	46		235		331				★
C40-5D47-240SP14	47		240		336				★
C40-5D48-245SP14	48	40	245	70	341	SP__07T308	M2.5x7	T8	★
C40-5D49-250SP14	49		250		346				★
C40-5D50-255SP14	50		255		351				★
C40-5D51-260SP07	51		260		356				★
C40-5D52-265SP07	52		265		361				★
C40-5D53-270SP07	53		270		366				★
C40-5D54-275SP07	54		275		371				★
C40-5D55-280SP07	55		280		376				★
C40-5D56-285SP09	56		285		388	SP__090408	M3.5x9	T15	★
C40-5D57-290SP09	57		290		393				★
C40-5D58-295SP09	58		295		398				★
C40-5D59-300SP09	59		300		403				★
C40-5D60-305SP09	60		305		408				★

U钻 (U-Drill)

WC型浅孔钻/U钻 小孔径 WC tyge U-drill Small Diameter



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D10-22WC02	10	20	22	50	88	WC__020104	M1.8x4	T6	★
C20-2D10.5-23WC02	10.5		23		89				★
C20-2D11-24WC02	11		24		90				★
C20-2D11.5-25WC02	11.5		25		91				★
C20-2D12-26WC02	12		26		92				★
C20-2D12.5-27WC02	12.5		27		95				★
C20-2D13-28WC02	13		28		96				★
C20-2D13.5-29WC02	13.5		29		96				★


规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D10-32WC02	10	20	32	50	98	WC__020104	M1.8x4	T6	★
C20-3D10.5-34WC02	10.5		34		100				★
C20-3D11-35WC02	11		35		101				★
C20-3D11.5-37WC02	11.5		37		103				★
C20-3D12-38WC02	12		38		104				★
C20-3D12.5-40WC02	12.5		40		108				★
C20-3D13-41WC02	13		41		109				★
C20-3D13.5-43WC02	13.5		43		110				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D10-42WC02	10	20	42	50	108	WC__020104	M1.8x4	T6	★
C20-4D10.5-44WC02	10.5		44		110				★
C20-4D11-46WC02	11		46		112				★
C20-4D11.5-48WC02	11.5		48		114				★
C20-4D12-50WC02	12		50		116				★
C20-4D12.5-52WC02	12.5		52		120				★
C20-4D13-54WC02	13		54		122				★
C20-4D13.5-56WC02	13.5		56		123				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D10-52WC02	10	20	52	50	118	WC__020104	M1.8x4	T6	☆
C20-5D10.5-55WC02	10.5		55		121				☆
C20-5D11-57WC02	11		57		123				☆
C20-5D11.5-60WC02	11.5		60		126				☆
C20-5D12-62WC02	12		62		128				☆

U钻 (U-Drill)

SO型浅孔钻/U钻 小孔径 SO tyge U-drill Small Diameter



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-2D08-18SO03	8	20	18	50	86	SO__030102	M1.8x3.6	T6	★
C20-2D8.5-19SO03	8.5		19		87				★
C20-2D09-20SO03	9		20		88				★
C20-2D9.5-21SO03	9.5		21		88				★
C20-2D10-22SO04	10		22		89	SO__040202	M1.8x4		★
C20-2D10.5-23SO04	10.5		23		90				★
C20-2D11-24SO04	11		24		90				★
C20-2D11.5-25SO04	11.5		25		91				★
C20-2D12-26SO04	12		26		92				★


规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-3D08-26SO03	8	20	26	50	94	SO__030102	M1.8x3.6	T6	★
C20-3D8.5-28SO03	8.5		28		96				★
C20-3D09-29SO03	9		29		96				★
C20-3D9.5-31SO03	9.5		31		98				★
C20-3D10-32SO04	10		32		98	SO__040202	M1.8x4		★
C20-3D10.5-34SO04	10.5		34		100				★
C20-3D11-35SO04	11		35		101				★
C20-3D11.5-37SO04	11.5		37		103				★
C20-3D12-38SO04	12		38		104				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-4D08-34SO03	8	20	34	50	102	SO__030102	M1.8x3.6	T6	★
C20-4D8.5-36SO03	8.5		36		104				★
C20-4D09-38SO03	9		38		105				★
C20-4D9.5-40SO03	9.5		40		107				★
C20-4D10-42SO04	10		42		108	SO__040202	M1.8x4		★
C20-4D10.5-44SO04	10.5		44		110				★
C20-4D11-46SO04	11		46		112				★
C20-4D11.5-48SO04	11.5		48		114				★
C20-4D12-50SO04	12		50		116				★

规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
C20-5D10-52SO04	10	20	52	50	118	SO__040202	M1.8x4	T6	★
C20-5D10.5-55SO04	10.5		55		121				★
C20-5D11-57SO04	11		57		123				★
C20-5D11.5-60SO04	11.5		60		126				★
C20-5D12-62SO04	12		62		128				★

多功能钻头 (Multifunctional drill bit)


TCAP多功能钻头 2.25D TCAP type multifunctional drill bit 2.25D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
TCAP 10R/L-2.25-C20	10	20	22.5	50	89.5	XCMT050204	M2.0*5	T6	★
TCAP 12R/L-2.25-C20	12	20	27	50	94	XCMT060204	M2.2*5	T6	★
TCAP 14R/L-2.25-C20	14	20	31.5	50	98	XCMT070304	M2.5*6	T8	★
TCAP 16R/L-2.25-C20	16	20	36	50	101	XCMT080304	M3.0*8	T10	★
TCAP 20R/L-2.25-C25	20	25	45	56	118	XCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


TCAP多功能钻头 3D TCAP type multifunctional drill bit 3D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
TCAP 10R/L-3D-C20	10	20	30	50	97	XCMT050204	M2.0*5	T6	★
TCAP 12R/L-3D-C20	12	20	36	50	103	XCMT060204	M2.2*5	T6	★
TCAP 14R/L-3D-C20	14	20	42	50	108.5	XCMT070304	M2.5*6	T8	★
TCAP 16R/L-3D-C20	16	20	48	50	113	XCMT080304	M3.0*8	T10	★
TCAP 20R/L-3D-C25	20	25	60	56	133	XCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


SF型多功能钻头 2.5D SF type multifunctional drill bit 2.5D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
SF-10R/L-2.5D-C16	10	16	25	50	83	QCMT050204	M2.0*5	T6	★
SF-12R/L-2.5D-C16	12	16	30	50	88	QCMT060204	M2.2*5	T6	★
SF-14R/L-2.5D-C16	14	16	35	50	92	QCMT070304	M2.5*6	T8	★
SF-16R/L-2.5D-C20	16	20	40	50	105	QCMT080304	M3.0*8	T10	★
SF-20R/L-2.5D-C25	20	25	50	56	123	QCMT10T304	M3.5*9	T15	★

多功能钻头 (Multifunctional drill bit)


SF型多功能钻头 3.25D SF type multifunctional drill bit 3.25D



规格型号 Specification and model	D	Ds	L1	Ls	L	刀片型号 Insert model	螺钉 Screw	扳手 Wrench	库存 Stock
SF-10R-3.25D-C16	10	16	32.5	50	91	QCMT050204	M2.0*5	T6	★
SF-12R-3.25D-C16	12	16	39	50	97	QCMT060204	M2.2*5	T6	★
SF-14R-3.25D-C16	14	16	45.5	50	101	QCMT070304	M2.5*6	T8	★
SF-16R-3.25D-C16	16	20	52	50	117	QCMT080304	M3.0*8	T10	★
SF-20R-3.25D-C25	20	25	65	56	138	QCMT10T304	M3.5*9	T15	★

皇冠钻(JCD- Drill)


JCD皇冠钻-3D JCD-Drill-3D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-3D	10	30	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-3D	11	33	24	20	□CD-11.0-11.9			★
JCD C20-120-3D	12	36	24	20	□CD-12.0-12.9			★
JCD C20-130-3D	13	39	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-3D	14	42	24	20	□CD-14.0-14.9			★
JCD C20-150-3D	15	45	24	20	□CD-15.0-15.9			★
JCD C20-160-3D	16	48	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-3D	17	51	24	20	□CD-17.0-17.9			★
JCD C20-180-3D	18	54	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-3D	19	57	29	25	□CD-19.0-19.9			★
JCD C25-200-3D	20	60	29	25	□CD-20.0-20.9	CM3*19.7	T10	★
JCD C25-210-3D	21	63	29	25	□CD-21.0-21.9			★
JCD C25-220-3D	22	66	29	25	□CD-22.0-22.9			★
JCD C25-230-3D	23	69	29	25	□CD-23.0-23.9	CM3.5*22.5	T15	★
JCD C32-240-3D	24	72	39	32	□CD-24.0-24.9			★
JCD C32-250-3D	25	75	39	32	□CD-25.0-25.9	CM3.5*24	T15	★
JCD C32-260-3D	26	78	39	32	□CD-26.0-26.9			☆
JCD C32-270-3D	27	81	39	32	□CD-27.0-27.9	CM4*25.5	T15	☆
JCD C32-280-3D	28	84	39	32	□CD-28.0-28.9			☆
JCD C32-290-3D	29	87	39	32	□CD-29.0-29.9	CM5*27.5	T20	☆
JCD C32-300-3D	30	90	39	32	□CD-30.0-30.9			☆
JCD C32-310-3D	31	93	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-5D JCD-Drill-5D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-5D	10	50	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-5D	11	55	24	20	□CD-11.0-11.9			★
JCD C20-120-5D	12	60	24	20	□CD-12.0-12.9			★
JCD C20-130-5D	13	65	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-5D	14	70	24	20	□CD-14.0-14.9			★
JCD C20-150-5D	15	75	24	20	□CD-15.0-15.9			★
JCD C20-160-5D	16	80	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-5D	17	85	24	20	□CD-17.0-17.9			★
JCD C20-180-5D	18	90	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-5D	19	95	29	25	□CD-19.0-19.9			★
JCD C25-200-5D	20	100	29	25	□CD-20.0-20.9	CM3*19.7	T10	★
JCD C25-210-5D	21	105	29	25	□CD-21.0-21.9			★
JCD C25-220-5D	22	110	29	25	□CD-22.0-22.9			★
JCD C25-230-5D	23	115	29	25	□CD-23.0-23.9	CM3.5*22.5	T15	★
JCD C32-240-5D	24	120	39	32	□CD-24.0-24.9			★
JCD C32-250-5D	25	125	39	32	□CD-25.0-25.9			★
JCD C32-260-5D	26	130	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-5D	27	135	39	32	□CD-27.0-27.9			☆
JCD C32-280-5D	28	140	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-5D	29	145	39	32	□CD-29.0-29.9			☆
JCD C32-300-5D	30	150	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-5D	31	155	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-8D JCD-Drill-8D



规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-8D	10	80	24	20	□CD-10.0-10.9	CM2.2*9	T6	★
JCD C20-110-8D	11	88	24	20	□CD-11.0-11.9			★
JCD C20-120-8D	12	96	24	20	□CD-12.0-12.9			★
JCD C20-130-8D	13	104	24	20	□CD-13.0-13.9	CM2.5*12	T8	★
JCD C20-140-8D	14	112	24	20	□CD-14.0-14.9			★
JCD C20-150-8D	15	120	24	20	□CD-15.0-15.9			★
JCD C20-160-8D	16	128	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	★
JCD C20-170-8D	17	136	24	20	□CD-17.0-17.9			★
JCD C20-180-8D	18	144	24	20	□CD-18.0-18.9	CM3*16.5	T10	★
JCD C25-190-8D	19	152	29	25	□CD-19.0-19.9			★
JCD C25-200-8D	20	160	29	25	□CD-20.0-20.9	CM3*19.7	T10	★
JCD C25-210-8D	21	168	29	25	□CD-21.0-21.9			★
JCD C25-220-8D	22	176	29	25	□CD-22.0-22.9			★
JCD C25-230-8D	23	184	29	25	□CD-23.0-23.9	CM3.5*22.5	T15	★
JCD C32-240-8D	24	192	39	32	□CD-24.0-24.9			★
JCD C32-250-8D	25	200	39	32	□CD-25.0-25.9			★
JCD C32-260-8D	26	208	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-8D	27	216	39	32	□CD-27.0-27.9			☆
JCD C32-280-8D	28	224	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-8D	29	232	39	32	□CD-29.0-29.9			☆
JCD C32-300-8D	30	240	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-8D	31	248	39	32	□CD-31.0-32.0			☆

皇冠钻(JCD- Drill)


JCD皇冠钻-10 JCD-Drill-10D




规格型号 Specification and model	D	L1	D1	Ds	刀片尺寸范围 Blade size range	螺钉 Screw	扳手 Wrench	库存 Stock
JCD C20-100-10D	10	100	24	20	□CD-10.0-10.9	CM2.2*9	T6	☆
JCD C20-110-10D	11	110	24	20	□CD-11.0-11.9			☆
JCD C20-120-10D	12	120	24	20	□CD-12.0-12.9			☆
JCD C20-130-10D	13	130	24	20	□CD-13.0-13.9	CM2.5*12	T8	☆
JCD C20-140-10D	14	140	24	20	□CD-14.0-14.9			☆
JCD C20-150-10D	15	150	24	20	□CD-15.0-15.9			☆
JCD C20-160-10D	16	160	24	20	□CD-16.0-16.9	CM2.5*14.2	T8	☆
JCD C20-170-10D	17	170	24	20	□CD-17.0-17.9			☆
JCD C20-180-10D	18	180	24	20	□CD-18.0-18.9	CM3*16.5	T10	☆
JCD C25-190-10D	19	190	29	25	□CD-19.0-19.9			☆
JCD C25-200-10D	20	200	29	25	□CD-20.0-20.9			☆
JCD C25-210-10D	21	210	29	25	□CD-21.0-21.9	CM3*19.7	T10	☆
JCD C25-220-10D	22	220	29	25	□CD-22.0-22.9			☆
JCD C25-230-10D	23	230	29	25	□CD-23.0-23.9			☆
JCD C32-240-10D	24	240	39	32	□CD-24.0-24.9	CM3.5*22.5	T15	☆
JCD C32-250-10D	25	250	39	32	□CD-25.0-25.9			☆
JCD C32-260-10D	26	260	39	32	□CD-26.0-26.9	CM3.5*24	T15	☆
JCD C32-270-10D	27	270	39	32	□CD-27.0-27.9			☆
JCD C32-280-10D	28	280	39	32	□CD-28.0-28.9	CM4*25.5	T15	☆
JCD C32-290-10D	29	290	39	32	□CD-29.0-29.9			☆
JCD C32-300-10D	30	300	39	32	□CD-30.0-30.9	CM5*27.5	T20	☆
JCD C32-310-10D	31	310	39	32	□CD-31.0-32.0			☆

HCD


皇冠钻刀片-HCD




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 100	10	3	138	★
HCD 101	10.1	3	138	★
HCD 102	10.2	3	138	★
HCD 103	10.3	3	138	★
HCD 104	10.4	3	138	★
HCD 105	10.5	3	138	★
HCD 106	10.6	3	138	★
HCD 107	10.7	3	138	★
HCD 108	10.8	3	138	★
HCD 109	10.9	3	138	★
HCD 110	11	3	138	★
HCD 111	11.1	3	138	★
HCD 112	11.2	3	138	★
HCD 113	11.3	3	138	★
HCD 114	11.4	3	138	★
HCD 115	11.5	3	138	★
HCD 116	11.6	3	138	★
HCD 117	11.7	3	138	★
HCD 118	11.8	3	138	★
HCD 119	11.9	3	138	★
HCD 120	12	3	140	★
HCD 121	12.1	3	140	★
HCD 122	12.2	3	140	★
HCD 123	12.3	3	140	★
HCD 124	12.4	3	140	★
HCD 125	12.5	3	140	★
HCD 126	12.6	3	140	★
HCD 127	12.7	3	140	★
HCD 128	12.8	3	140	★
HCD 129	12.9	3	140	★
HCD 130	13	3.5	140	★




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 131	13.1	3.5	140	★
HCD 132	13.2	3.5	140	★
HCD 133	13.3	3.5	140	★
HCD 134	13.4	3.5	140	★
HCD 135	13.5	3.5	140	★
HCD 136	13.6	3.5	140	★
HCD 137	13.7	3.5	140	★
HCD 138	13.8	3.5	140	★
HCD 139	13.9	3.5	140	★
HCD 140	14	3.5	140	★
HCD 141	14.1	3.5	140	★
HCD 142	14.2	3.5	140	★
HCD 143	14.3	3.5	140	★
HCD 144	14.4	3.5	140	★
HCD 145	14.5	3.5	140	★
HCD 146	14.6	3.5	140	★
HCD 147	14.7	3.5	140	★
HCD 148	14.8	3.5	140	★
HCD 149	14.9	3.5	140	★
HCD 150	15	3.5	140	★
HCD 151	15.1	3.5	140	★
HCD 152	15.2	3.5	140	★
HCD 153	15.3	3.5	140	★
HCD 154	15.4	3.5	140	★
HCD 155	15.5	3.5	140	★
HCD 156	15.6	3.5	140	★
HCD 157	15.7	3.5	140	★
HCD 158	15.8	3.5	140	★
HCD 159	15.9	3.5	140	★
HCD 160	16	4.2	140	★
HCD 161	16.1	4.2	140	★




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 162	16.2	4.2	140	★
HCD 163	16.3	4.2	140	★
HCD 164	16.4	4.2	140	★
HCD 165	16.5	4.2	140	★
HCD 166	16.6	4.2	140	★
HCD 167	16.7	4.2	140	★
HCD 168	16.8	4.2	140	★
HCD 169	16.9	4.2	140	★
HCD 170	17	4.2	140	★
HCD 171	17.1	4.2	140	★
HCD 172	17.2	4.2	140	★
HCD 173	17.3	4.2	140	★
HCD 174	17.4	4.2	140	★
HCD 175	17.5	4.2	140	★
HCD 176	17.6	4.2	140	★
HCD 177	17.7	4.2	140	★
HCD 178	17.8	4.2	140	★
HCD 179	17.9	4.2	140	★
HCD 180	18	4.5	140	★
HCD 181	18.1	4.5	140	★
HCD 182	18.2	4.5	140	★
HCD 183	18.3	4.5	140	★
HCD 184	18.4	4.5	140	★
HCD 185	18.5	4.5	140	★
HCD 186	18.6	4.5	140	★
HCD 187	18.7	4.5	140	★
HCD 188	18.8	4.5	140	★
HCD 189	18.9	4.5	140	★
HCD 190	19	4.5	140	★
HCD 191	19.1	4.5	140	★
HCD 192	19.2	4.5	140	★




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 193	19.3	4.5	140	★
HCD 194	19.4	4.5	140	★
HCD 195	19.5	4.5	140	★
HCD 196	19.6	4.5	140	★
HCD 197	19.7	4.5	140	★
HCD 198	19.8	4.5	140	★
HCD 199	19.9	4.5	140	★
HCD 200	20	5	140	★
HCD 201	20.1	5	140	★
HCD 202	20.2	5	140	★
HCD 203	20.3	5	140	★
HCD 204	20.4	5	140	★
HCD 205	20.5	5	140	★
HCD 206	20.6	5	140	★
HCD 207	20.7	5	140	★
HCD 208	20.8	5	140	★
HCD 209	20.9	5	140	★
HCD 210	21	5	140	★
HCD 211	21.1	5	140	★
HCD 212	21.2	5	140	★
HCD 213	21.3	5	140	★
HCD 214	21.4	5	140	★
HCD 215	21.5	5	140	★
HCD 216	21.6	5	140	★
HCD 217	21.7	5	140	★
HCD 218	21.8	5	140	★
HCD 219	21.9	5	140	★
HCD 220	22	5	140	★
HCD 221	22.1	5	140	★
HCD 222	22.2	5	140	★
HCD 223	22.3	5	140	★



规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 224	22.4	5	140	★
HCD 225	22.5	5	140	★
HCD 226	22.6	5	140	★
HCD 227	22.7	5	140	★
HCD 228	22.8	5	140	★
HCD 229	22.9	5	140	★
HCD 230	23	5	140	★
HCD 231	23.1	5	140	★
HCD 232	23.2	5	140	★
HCD 233	23.3	5	140	★
HCD 234	23.4	5	140	★
HCD 235	23.5	5	140	★
HCD 236	23.6	5	140	★
HCD 237	23.7	5	140	★
HCD 238	23.8	5	140	★
HCD 239	23.9	5	140	★
HCD 240	24	5.5	140	★
HCD 241	24.1	5.5	140	★
HCD 242	24.2	5.5	140	★
HCD 243	24.3	5.5	140	★
HCD 244	24.4	5.5	140	★
HCD 245	24.5	5.5	140	★
HCD 246	24.6	5.5	140	★
HCD 247	24.7	5.5	140	★
HCD 248	24.8	5.5	140	★
HCD 249	24.9	5.5	140	★
HCD 250	25	5.5	140	★
HCD 251	25.1	5.5	140	★
HCD 252	25.2	5.5	140	★
HCD 253	25.3	5.5	140	★
HCD 254	25.4	5.5	140	★




规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 255	25.5	5.5	140	★
HCD 256	25.6	5.5	140	☆
HCD 257	25.7	5.5	140	☆
HCD 258	25.8	5.5	140	☆
HCD 259	25.9	5.5	140	☆
HCD 260	26	5.5	140	☆
HCD 261	26.1	5.5	140	☆
HCD 262	26.2	5.5	140	☆
HCD 263	26.3	5.5	140	☆
HCD 264	26.4	5.5	140	☆
HCD 265	26.5	5.5	140	☆
HCD 266	26.6	5.5	140	☆
HCD 267	26.7	5.5	140	☆
HCD 268	26.8	5.5	140	☆
HCD 269	26.9	5.5	140	☆
HCD 270	27	5.5	140	☆
HCD 271	27.1	5.5	140	☆
HCD 272	27.2	5.5	140	☆
HCD 273	27.3	5.5	140	☆
HCD 274	27.4	5.5	140	☆
HCD 275	27.5	5.5	140	☆
HCD 276	27.6	5.5	140	☆
HCD 277	27.7	5.5	140	☆
HCD 278	27.8	5.5	140	☆
HCD 279	27.9	5.5	140	☆
HCD 280	28	6	140	☆
HCD 281	28.1	6	140	☆
HCD 282	28.2	6	140	☆
HCD 283	28.3	6	140	☆
HCD 284	28.4	6	140	☆
HCD 285	28.5	6	140	☆



规格型号 Specification and model	D直径	d	a	库存 Stock
HCD 286	28.6	6	140	☆
HCD 287	28.7	6	140	☆
HCD 288	28.8	6	140	☆
HCD 289	28.9	6	140	☆
HCD 290	29	6	140	☆
HCD 291	29.1	6	140	☆
HCD 292	29.2	6	140	☆
HCD 293	29.3	6	140	☆
HCD 294	29.4	6	140	☆
HCD 295	29.5	6	140	☆
HCD 296	29.6	6	140	☆
HCD 297	29.7	6	140	☆
HCD 298	29.8	6	140	☆
HCD 299	29.9	6	140	☆
HCD 300	30	6.4	140	☆
HCD 301	30.1	6.4	140	☆
HCD 302	30.2	6.4	140	☆
HCD 303	30.3	6.4	140	☆
HCD 304	30.4	6.4	140	☆
HCD 305	30.5	6.4	140	☆
HCD 306	30.6	6.4	140	☆
HCD 307	30.7	6.4	140	☆
HCD 308	30.8	6.4	140	☆
HCD 309	30.9	6.4	140	☆
HCD 310	31	6.4	140	☆
HCD 311	31.1	6.4	140	☆
HCD 312	31.2	6.4	140	☆
HCD 313	31.3	6.4	140	☆
HCD 314	31.4	6.4	140	☆
HCD 315	31.5	6.4	140	☆
HCD 316	31.6	6.4	140	☆
HCD 317	31.7	6.4	140	☆
HCD 318	31.8	6.4	140	☆
HCD 319	31.9	6.4	140	☆
HCD 320	32	6.4	140	☆

深孔钻 (Deep hole drill)


带定心钻钻头 深孔钻 6D Spotting U-drill 6D




规格型号 Specification and model	钻头数据 Drill bit data					刀片型号 Insert model	定心钻 Centering drill	配件 Accessory		库存 Stock
	D	L1	L	Ds	Ls			螺钉 Screw	扳手 Wrench	
WPD C25-20-6D	20	123	201	25	56	WCMX030208	PLD V-0630	M2.5*6	T8	★
WPD C25-21-6D	21	129	207							★
WPD C25-22-6D	22	135	213							★
WPD C25-23-6D	23	141	219							★
WPD C25-24-6D	24	147	225							★
WPD C32-25-6D	25	153	240							★
WPD C32-26-6D	26	159	246	32	60	WCMX040208	PLD V-0835	M2.5*7D4	T8	★
WPD C32-27-6D	27	165	252							★
WPD C32-28-6D	28	171	258							★
WPD C32-29-6D	29	177	264							★
WPD C32-30-6D	30	183	270							★
WPD C32-31-6D	31	179	278							★
WPD C32-32-6D	32	185	284							★
WPD C32-33-6D	33	191	290							★
WPD C32-34-6D	34	197	296							★
WPD C32-35-6D	35	203	302							★
WPD C32-36-6D	36	209	306							★
WPD C32-37-6D	37	215	312							★
WPD C32-38-6D	38	221	318							★
WPD C32-39-6D	39	227	324							★
WPD C40-40-6D	40	233	340	40	70	WC__06T308	PLD V-1035	M3.5x9	T15	★
WPD C40-41-6D	41	239	346							★
WPD C40-42-6D	42	245	352							★
WPD C40-43-6D	43	251	358							★
WPD C40-44-6D	44	257	364							★
WPD C40-45-6D	45	263	370							★

深孔钻 (Deep hole drill)

带定心钻钻头 深孔钻 8D Spotting U-drill 8D



规格型号 Specification and model	钻头数据 Drill bit data					刀片型号 Insert model	定心钻 Centering drill	配件 Accessory		库存 Stock
	D	L1	L	Ds	Ls			螺钉 Screw	扳手 Wrench	
WPD C25-20-8D	20	163	241	25	56	WCMX030208	PLD V-0630	M2.5*6	T8	★
WPD C25-21-8D	21	171	249							★
WPD C25-22-8D	22	179	257							★
WPD C25-23-8D	23	187	265							★
WPD C25-24-8D	24	195	273							★
WPD C32-25-8D	25	203	290							★
WPD C32-26-8D	26	211	298	32	60	WCMX040208	PLD V-0835	M2.5*7D4	T8	★
WPD C32-27-8D	27	219	306							★
WPD C32-28-8D	28	227	314							★
WPD C32-29-8D	29	235	322							★
WPD C32-30-8D	30	243	330							★
WPD C32-31-8D	31	241	340							★
WPD C32-32-8D	32	249	348							★
WPD C32-33-8D	33	257	356							★
WPD C32-34-8D	34	265	364							★
WPD C32-35-8D	35	273	372							★
WPD C32-36-8D	36	281	378							★
WPD C32-37-8D	37	289	386							★
WPD C32-38-8D	38	297	394							★
WPD C32-39-8D	39	305	402	40	70	WC__06T308	PLD V-1035	M3.5x9	T15	★
WPD C40-40-8D	40	313	420							★
WPD C40-41-8D	41	321	428							★
WPD C40-42-8D	42	329	436							★
WPD C40-43-8D	43	337	444							★
WPD C40-44-8D	44	345	452							★
WPD C40-45-8D	45	353	460							★



规格型号 Specification and model	D	L	适用钻头类型 Applicable drill bit type
PLD-V0630 TiN	6	30	VLT,TSD,TMD
PLD-V0835 TiN	8	35	VLT,TSD,TMD
PLD-V1035 TiN-H	10	35	VMD,VLT,MXD,TSD,TMD
PLD-V1238 TiN-H	12	38	VMD,VLT,MXD,TSD,TMD
PLD-V1645 TiN-H	16	45	VMD,VLT,MXD,TSD,TMD
PLD-2045 TiN-H	20	45	VMD,MXD
PLD-2556 TiN-H	25	56	VMD,MXD
PLD-3068 TiN-H	30	68	VMD,MXD